

Phone: 480 884 1996 Fax: 480 884 1984



Case ID:M11-112P^ Published: 2/26/2020

Inventors

Dong-Kyun Seo Ki-Wan Jeon

Contact

Shen Yan shen.yan@skysonginnovations.com

Production of Carbon Nanomaterials Having Chalcogen-Containing Functional Groups and Their Uses

Carbon nanotubes possess many interesting properties which make them suitable for a host of applications including use in batteries, catalysts, fuel cells, chemical sensors, drug delivery and nanoelectronics. However many of these applications require that the nanotbubes be chemically anchored at the surface of an interface, where they can enhance surface dependent processes such as charge transfer and chemical analyte binding. In the past, nanotubes have often been anchored to an interface by literally growing them on a surface; however this is a time and labor intensive process which requires many wet and dry chemistry steps.

Researchers at Arizona State University have developed a method of functionalizing carbon nanotubes with thiol functional groups, thereby allowing them to self-anchor at the surface of gold or any other noble metal. The method uses oxidized nanotubes as a starting material and utilizes a process to replace the oxygen groups with sulfur based groups. The technology can also be used to make functional groups containing other group 6 elements, including selenium and tellurium.

This technology is a robust process which produces functionalized nanotubes which are capable of self anchoring to a multitude of interfaces. It represents significant improvement over existing technologies which immobilize nanotubes at an interface.

Potential Applications